

Chemical Risk Management Protocol

Safe Methods of Use (SMOU)

Working with Potentially Explosive Chemicals/Reactions

Table of Contents

1	Purpose	3
2	Disclaimer	3
3	General Guidelines.....	3
4	PPE	4
5	Protective Barriers and their Use	5
5.1	Blast Shields.....	5
5.2	Fume hood sashes.....	6
6	Potentially Explosive Chemicals (PECs) and Reactions.....	6
6.1	Common Laboratory PECs.....	7
6.2	Chemicals that can become explosive during storage	7
6.3	Potentially explosive reactions.....	8
	Appendix I: Explosive and Potentially Explosive Chemical Families	9
	Appendix II Chemicals that May Explode due to Over-pressurised Containers.....	12

1 Purpose

This Safe Method of Use (SMOU) applies to principal investigators (PIs), laboratory managers, designated laboratory person (DLPs), and all staff and students who direct or participate in the use of chemical reactions with explosive potential at the University of Auckland.

2 Disclaimer

This SMOU should be used as guidance to inform a risk assessment that considers all aspects and potential hazards related to the use of the chemical. **Please read this SMOU in conjunction with the Chemical Risk Management Guidelines.**

The Safety Data Sheet (SDS) should be consulted for specific information about the chemical you will be using. The Gold FFX SDS Database is available on the Library database. Instructions on how to source this information can be found on the Health, Safety and Wellbeing Databases website:

<https://www.auckland.ac.nz/en/health-safety-wellbeing/health-safety-topics/laboratory-safety/chemical-safety/databases.html>

Note: 'Shall' denotes a mandatory requirement and 'should' denotes a recommendation.

See Appendix 1 for a representative list of explosive and potentially explosive chemicals.

3 General Guidelines

1. While every care must be taken to ensure chemical reactions do not proceed in an uncontrolled manner, some chemical reactions carry a risk (however small) of becoming uncontrolled resulting in splash or burst hazard or in rare cases an explosion.
2. Prior to conducting the experiment, laboratory workers shall consult the experimental procedure and adhere to any advised cautions, particularly where

blast shields are recommended. Laboratory workers shall also consult closely with their supervisor.

3. Ensure there are no unnecessary flammable/reactive solvents/materials in the fume cupboard when a potentially explosive reaction is being conducted.
4. Unattended experiments must be clearly labelled to identify possible hazards and steps to take in case of an incident.
5. There are two main sources of protective barrier available to protect laboratory personnel in such events – a blast shield and the fume cupboard sash.
 - Blast shields can be moved into the fume cupboard for the duration of the experiment.
 - Fume hood sashes are designed to be lowered to provide a physical barrier between reaction in the fume hood and laboratory personnel.

Note: Most explosions occur while purifying or distilling mixtures. Therefore, use extreme caution before concentrating or purifying any mixture that may contain an explosive chemical (e.g. a peroxide-forming chemical or perchlorate).

4 PPE

- Laboratory workers (Student/Staff) shall wear and have access to full face shields when;
 - blast shields have to be removed to manipulate glassware that has not cooled to room temperature
 - At any time where the Lab worker's face may be exposed to an explosive reaction even with a blast shield in place.
- When a full face mask is used, safety glasses shall be worn in addition.

5 Protective Barriers and their Use

5.1 Blast Shields

Use of blast shields is mandatory at all times for the following reactions:

- Reactions where there is a clearly stated explosion hazard for either reactants or products (e.g. IBX) or where reactants /products are those listed in Appendix 1 – Explosive and Potentially Explosive Chemicals
- Any reactions involving diazonium compounds, diazomethane, highly nitrated compounds and when heating organic peroxides.
- Reactions involving strong oxidising agents in quantities greater than 500 mL.
- Reactions involving strong reducing agents (such as Lithium Aluminium hydride) in quantities greater than 500 mL.



Figure 1: Ideal use and set up of a Blast Shield. Note that the combination of fully lowered fume hood sash and blast shield assist in containing any potential explosion.

5.2 Fume hood sashes

Fume hood sashes shall be lowered to the fullest extent when the following procedures are left unattended:

- Reactions involving chemicals listed in Appendix II
- Large scale distillations.

Any faults or observed lack of airflow in the fume hood when the fume hood sashes are lowered shall be reported to the Laboratory Manager immediately.

6 Potentially Explosive Chemicals (PECs) and Reactions

Explosive chemicals can release tremendous amounts of destructive energy rapidly. If not handled properly, these chemicals can pose a serious threat to the health and safety of laboratory personnel, emergency responders, building occupants, chemical waste handlers, and disposal companies. For example, an explosion of old isopropyl ether killed a laboratory worker when he attempted to remove a glass stopper from the container. In another instance, tetrazole exploded inside a hazardous waste incinerator, causing major damage and costly repairs.

Most chemicals that are used in research and teaching laboratories are stable and non-explosive at the time of purchase. Over time, some chemicals can oxidise, become contaminated, dry out, or otherwise destabilise to become PECs (e.g., sodium amide, picric acid and peroxidizable organic chemicals such as isopropyl ether). See **Appendix I Explosive and Potentially Explosive Families** for examples. For additional information, please refer to the SMOUs for Picric acid and Peroxide-forming chemicals.

Unlike known explosives, which are designed to be stable under normal conditions, PECs are particularly dangerous because they may explode if they are subjected to heat, light, friction, or mechanical shock.

6.1 Common Laboratory PECs

The following are some commonly used chemicals in academic research laboratories that can become an explosion hazard under certain conditions:

- Organic chemicals that form peroxides through exposure to air or light, such as diethyl ether, diisopropyl ether, tetrahydrofuran (THF). Please refer to SMOU 10 Peroxide-Forming Chemicals for more examples of these.
- Hydrated picric acid that becomes dry or becomes contaminated with metals that form metal picrate salts.
- Sodium amide that reacts with air or moisture to form superoxides, as evidenced by yellow or brown discoloration.
- Certain alkyl nitrates (e.g., butyl nitrate or propyl nitrate) that become contaminated with nitrogen oxides.
- Certain normally stable perchlorates (e.g., pyridium perchlorate or tetraethylammonium perchlorate) that become unstable at elevated temperatures.
- Organic azides, especially those of low molecular weight

6.2 Chemicals that can become explosive during storage

There is an additional group of chemicals that should be considered although they are not necessarily heat-, light-, friction-, or shock-sensitive. These chemicals give off gaseous degradation by-products that may cause over-pressurisation of the container and explode. They can degrade over time and should be incorporated into a safety and handling system that will prevent them from becoming explosive hazards.

Please see **SMOU Management of Time-Sensitive Chemicals** for more information.

For example:

- Highly concentrated formic acid (>90%) can decompose upon prolonged storage to form carbon monoxide gas. The formation of gas can cause explosion of the

container. Containers should have self-venting caps; dispose of any that are old and do not have these

- Nitric acid waste is a common cause of lab explosions, when it is mixed with incompatible chemicals such as acetone, formic acid, or other flammable organic solvents and sealed.
- See Appendix II for additional examples

6.3 Potentially explosive reactions

Heating large amounts of flammable solvents (≥ 500 mL) under reflux poses an increased risk of ignition or explosion. Such experiments shall not be left unattended.

Appendix I: Explosive and Potentially Explosive Chemical Families

The following table lists classes of PECs, with some examples for each class. Please note this is not an exhaustive list; consult the SDS for details about the specific chemicals you are using.

Azides Hydrogen azide	Metal Azide Halides Chromyl azide chloride Molybdenum diazide tetrachloride Tungsten azide pentachloride
Metal Azides Aluminum azide Bis(cyclopentadienyl)tungsten diazide oxide Mercury (I&II) azide Lead azide Sodium azide	Organic Azides Diazidomethyleneazine Picryl azide Vinyl azide Acetyl azide Cyanodiazooacetyl azide Phenylphosphonic azide chloride
Diazo compounds 2-Buten-1-yl diazoacetate Diethyl diazomalonate Dinitrodiazomethane Diazomethane	Diazonium carboxylates, perchlorates, salts, sulfates, tetrahaloborates, and, triiodides Benzenediazonium-2-carboxylate 4-Aminobenzenediazonium perchlorate 6-chloro-2,4-dinitrobenzenediazonium sulfate 2-Nitrobenzenediazonium tetrachloroborate 4-Toluenediazonium triiodide
Azocarbaboranes 1,1-Azo-1,2-dicarbadeceborane	Aziridines 1-Bromoaziridine
N-Azolium nitroimidates Benzimidazolium 1-nitroimide 4-Nitroamino-1,2,4-triazole	Isoxazoles 3-Aminoisoxazole 3,5-Dimethylisoxazole
Triazoles 3-Diazo-5-phenyl-3H-1,2,4-triazole 4-Hydroxy-3,5-dimethyl-1,2,4-triazole 1,2,3-Triazole	Tetrazoles 5-Aminotetrazole Silver and mercury salts of 5-nitrotetrazole Tetrazole
Alkyl perchlorates Hexyl perchlorate Ethyl perchlorate 1-Chloro-2-propyl perchlorate	Acyl hypohalites Acetyl hypobromite Hexafluoroglutaric dihypochlorite
Iodine Compounds Calcium 2-iodylbenzoate Iodobenzene 2-Iodylvinyl chloride	Difluoroaminoalkanoles 1,1-Difluoro-urea Perfluoro-N-cyanodiaminomethane
Fluoro-nitro compounds 1-Fluoro-1,1-dinitrobutane Fluorodinitromethyl azide	Perchloryl Compounds 2,6-Dinitro-4-perchlorylphenol Perchloryl fluoride

	N-Perchloryl piperidine
Alkyl nitrates Ethylidene dinitrate Glyceryl trinitrate Propyl nitrate	Aromatic nitrates Picric acid Trinitrobenzene Picryl sulfonic acid Trinitroresorcinol
Nitroaryl Compounds N-Chloro-4-nitroaniline	Nitroso Compounds Dinitrosylnickel Ethyl N-methyl-N-nitrosocarbamate Potassium nitrosodisulfate
Polynitroaryl Compounds 5,6-Dinitro-2-dimethyl aminopyrimidinone 4-Nitro-1-picryl-1,2,3-triazole 2,4,6-Trinitrotoluene	Polynitroalkyl Compounds Dinitroacetone Hexanitroethane Potassium trinitromethanide
Nitrogenous Base Nitrite Salts Methylammonium nitrite	Furazan N-oxides Dicyanofurazan N-oxide 4-Oximino-4,5,6,7-tetrahydrobenzofurazan N-oxide
aci-Nitroquinonoid Compounds Sodium 1,4-bis(aci-nitro)-2,5- cyclohexadienide	Picrates Nickel picrate (anhydrous) S-7-Methylnonylthiuronium picrate Sodium picrate
aci-Nitro Salts Ammonium aci-nitromethanide Dipotassium aci-dinitromethanide Thallium aci-phenylnitromethanide	Amminemetal oxosalts Ammonium hexanitrocobaltate Bis(1,2-diaminoethane) diaquacobalt (III) perchlorate Trihydrazine nickel (II) nitrate
Allyl trifluoromethanesulfonates 2-Chloro-2-propenyl trifluoromethanesulfonate	Acetylene or acetylde compounds: N-Chloro-3-aminopropyne Propiolic acid Propynethiol
Strained-Ring Compounds 2-Azatricyclo[2.2.1.0 ^{2,6}]hept-7-yl perchlorate Dicyclopropyldiazomethane Prismane	N-Metal Derivatives Cadmium nitride Dibutylthallium isocyanate Sodium amide
Fulminating metals Lead fulminate Gold fulminate Silver fulminate	Metal Fulminates Mercury (II) fulminate Sodium fulminate Tripropyllead fulminate
Perchloramide Salts Barium perchloramide Mercury (II) N-perchloryl benzylamide Silver perchlorylamide	Metal Nitrophenoxides Lithium 4-nitrothiophenoxide Potassium 4-nitrophenoxide
Metal Halogenates Lead bromate	Metal Hydrides Stibine (Antimony hydride)
Metal Oxometallates Bis (benzene) chromium dichromate	Metal Oxohalogenates Ammonium iodate Lead acetate-lead bromate

<p>Metal Perchlorates Chromyl perchlorate</p>	<p>Metal Picramates Palladium picramate Uranyl picramate</p>
<p>Metal Peroxides Many transition metal peroxides are dangerously explosive.</p>	<p>Silver Compounds Silver nitride (fulminating silver) Disilver ketenide Phenylsilver Silver azide Silver Osmate</p>
<p>Metal Peroxomolybdates 2-Potassium tetraperoxomolybdate 2-Sodium tetraperoxomolybdate</p>	<p>Hydroxooxidiperoxochromate salts 1-Ammonium hydroxooxidiperoxochromate Potassium hydroxooxidiperoxochromate</p>
<p>Peroxyacid salts Calcium peroxodisulfate Potassium tetraperoxomolybdate Tetramethylammonium pentaperoxodichromate</p>	<p>Peroxy and Iodoxy acids Benzenperoxyselemonic acid Peroxyacetic acid Peroxyformic acid o-Iodoxybenzoic acid (IBX)</p>
<p>Peroxycarbonate esters O-O-tert-Butyl isopropyl monoperoxycarbonate Diallyl peroxydicarbonate Dimethyl peroxydicarbonate</p>	<p>Phosphorus esters Diethyl phosphite Dibenzyl phosphorchloridate</p>
<p>Oximes Bromoacetone oxime Hydroxycopper glyoximate Potassium cyclohexanehexone 1,3,5-trioximate</p>	<p>N-S Compounds Disulfur dinitride Potassium sulfurdiimidate Tetrasulfur tetranitride Thiotrithiazyl nitrate</p>
<p>Oxosalts of Nitrogenous Bases Ammonium tetranitroplatinate (II) Diamminepalladium (II) nitrate 1,2-Diammonioethane nitrate</p>	<p>Organolithium Reagents o-Trifluoromethyl phenyllithium m-Bromo phenyllithium</p>
<p>Ozonides trans-2-Butene ozonide Ethylene ozonide (1,2,4-trioxolane) Trifluoroethylene ozonide</p>	<p>Organomineral Peroxides Bis(triethyltin) peroxide Diethylhydroxotin hydroperoxide</p>
<p>Perchlorate Salts of Nitrogenous Bases Pyridinium perchlorate Tetraethylammonium perchlorate</p>	<p>Poly(dimercuryimmonium) Compounds Poly(dimercuryimmonium picrate) Poly(dimercuryimmonium permanganate) Poly(dimercuryimmonium trinitrobenzoate)</p>
<p>Polymerisation (violent) Acrylic acid Ethylene oxide Vinyl acetate</p>	

Appendix II Chemicals that May Explode due to Over-pressurised Containers

Note this is not an exhaustive list, please consult the SDS.

Allyl chloroformate	Aluminum chloride	Aluminum lithium hydride
Ammonia solution	Ammonium hydroxide	Ammonium persulfate
Anisyl chloride	Aqua regia	Benzenesulfonyl chloride
Benzyl chloroformate	Bleach	Bleaching powder
Calcium carbide	Calcium hydride	Calcium hypochlorite
Chloroform	Chromic acid	Cumene hydroperoxide
Cyclohexene	Diethyl pyrocarbonate	Dimethylamine
Formic Acid	Hydrogen peroxide	Isopropyl chloroformate
Lauroyl peroxide	Lithium aluminum hydride	Lithium hydride
Nitric acid	Nitrosoguanidine	Peracetic acid
Phenol	Phosphorus trichloride	Potassium Persulfate
Silicon tetrachloride	Sodium borohydride	Sodium dithionite
Sodium hydride	Sodium hydrosulfite	Sodium hypochlorite
Sodium peroxide	Sodium persulfate	Thionyl chloride
Urea peroxide	Zinc	